


bizhub c360i/c300i/c250i

A3 Colour Multifunctional Printers (MFPs)



C360i

Colour 36 PPM

C300i

Colour 30 PPM BW 30 PPM C250i

Colour 25 PPM BW 25 PPM

Giving Shape to Ideas

TOMORROW'S WORKPLACE TODAY

A NEW WAY OF WORKING HAS ARRIVED

From an office hub to a partner that enhances your creativity.

As office documents become more digitised and data volumes increase, document management and access assume more importance than ever. Remote access and cloud integration also heighten the need for security.

Multifunctional Printers (MFP) are now expected to connect people, places and devices simply and safely, creating a new way of working.

We want to provide a new value-added office that can be used intuitively by digital natives. That intent gave rise to the 2^{nd} generation bizhub, the bizhub i-Series.

MFPs have transitioned from an office hub to "a partner that enhances your creativity", one that meets your diverse workstyles and business needs.





"i" changes the office of the future from a customer's perspective

From an executive's perspective

Konica Minolta supports corporate governance through our services

From an IT manager's perspective

Assures IT security and reduces managerial burden

From a user's perspective

Prioritising the User Interface for simplicity and ease of use

Delivering Simplicity, Security and Convenience to office work We innovate your businesses, processes and way of working



Simplifying work

The operation panel design has been updated to emulate the operation of familiar smart devices. It offers the user a smarter way of working.

Thoroughly protecting office information

Improved security of large-volume office data, and paper documents - significantly reduces the burden on IT managers.

Always at the forefront

Konica Minolta's remote service support governance and resolve executive concerns and issues.

i-SERIES SIMPLE

SIMPLIFYING WORK

The User Interface has been completely revamped with an operation panel screen with smart-device-style operability.

Operation has been simplified by narrowing down functions and screen transitions to frequently-used functions.




Easy-to-use, new operation panel design

The operation panel features a new simple GUI (Graphical User Interface) design. Features such as removal of hard keys and panel vibration feedback emulates familiar smart devices and enable easy use of a variety of IT services. Simplicity of operation has been achieved by concentrating on frequently-used functions to minimise functions and screen transitions.



Switchable GUI operation panel with a choice of two panel styles

The user can switch between two panel styles as required: the new GUI Basic Style characterised by simple operation, and the conventional Classic Style utilising advanced settings and functions.




- Information Area: displays information such as settings menu buttons, ID button, and user name while logged in.
- Main Area: access to functions such as copying, faxing and scanning.



Scan e

Scan screen easily executes the intended task with minimal screen transitions

- Refined functions: displays only carefully selected often-used office functions
- Pop-up settings: minimisation of screen transitions allows the user to concentrate on intended task.





User friendly, large 10.1-inch touch panel

The 10.1-inch panel has been newly developed from the customer's perspective. It delivers better legibility and ease of operation for enhanced work efficiency. The multi-touch feature enables smooth, intuitive tablet-like operation.



Panel vibration assists operation

Touching the panel triggers vibration feedback, assisting panel operation by users who are visually impaired.

Voice guidance

Voice guidance offers support such as reading out fax numbers, explaining major screens and keys, and key-related operations. It also assists panel operation and prevents misoperation.

*This function is only for use in enlarged displays on copy, fax and scan screens. *Requires i-Option LK-104 v3, Key pad, KP-102 and device connection I/F kit EK-608 or EK-609.

Colour Universal Design



Konica Minolta has acquired Colour Universal Design UNIVERSAL Design Certification from Japan's Colour Universal Design Organization (CUDO).

*In validation tests using subjects with four types of colour-vision deficiencies, (red and green blindness, red and green weakness), CUDO confirmed that regardless of the deficiency, information transmission in colour by this unit functioned correctly.

Adjustable tilt operation panel

The operation panel can be freely tilted to a maximum of 90° to suit individual users. Movement is stiffer when tilting backwards to accommodate touch panel use, while it can be smoothly adjusted with light pressure when tilting forward.



Indicator lights

bizhub C360i series has adopted new LED lights that gently harmonise with the office environment. The LEDs are located in front of the MFP. Data light indicates data receipt or accumulation, and print light reminds users to collect the document from output tray.



i-SERIES SECURITY

THOROUGH PROTECTION OF OFFICE INFORMA

User authentication, the cloud, and a variety of document data security functions lighten the burden on IT managers facing security issues with large-scale digital data and paper documents.







bizhub SECURE services

Data protection is a major issue for most companies. bizhub delivers

advanced security settings through bizhub SECURE services, a total security setting service that provides greater protection for customer data stored in the SSD and device's network settings.

CS Remote Care

CS Remote Care is an advanced remote diagnostic and management platform that prevents, or swiftly responds to breakdowns to minimise machine downtime. Automatic data transmission of counter readings further simplifies management. Automatic reporting of breakdowns and managing the status of parts and consumables enable provision of support without bothering the user, and high-grade after-care, including automatic dispatch of toner as required.

* For more information, please contact your authorised Konica Minolta retailer.

Encrypted SSD

bizhub C360i series adopts a new 256GB encrypted SSD for heightened security functions. With very few device compatibility problems, and with full encryption, this constantly maintains a high level of security with no fuss.

Secure printing

By setting a password for documents on the printer driver screen, the document is stored in the MFP's SSD until the correct password is keyed on the operation panel. The document is protected without being output until the password set for that document is matched. This is useful when you wish to output a vital document or give permission for limited users to receive copies.

Various types of user authentication

Optimal authentication systems can be customised to suit office scale and pre-existing systems. bizhub C360i series also supports single sign-on (SSO) which enhances operability without sacrificing security.

Main unit authentication

Authentication can be performed through the bizhub alone. It is also possible to set detailed usage restrictions for functions, including copy, print, scan and fax*.

*Requires Fax Kit FK-514 option.

Non-contact IC card authentication

Non-contact IC cards' such as FeliCa can be used to authenticate users'. This also supports SSFC (Shared Security Formats Cooperation) specifications which enable integration of staff authentication with authentication systems. Apart from non-contact IC cards, authentication can also be carried out on NFC-compatible Android devices'.



- *1 Non-contact IC cards are compatible with FeliCa (IDm), SSFC, FCF, FCF (Campus) and MIFARE (UID).
- *2 Requires the IC card authentication device option.
- *3 Requires an Android device later than Android 4.4, compatible with HCE (Post Card Emulation), and Konica Minolta Mobile Print.

Biometric authentication


Highly accurate authentication is possible using finger veins. It's easy, and also enables the establishment of high-level security systems.

*Requires Biometric Authentication Device AU-102 option, and Working Table WT-506 option.

Virus scanning

bizhub C360i series is equipped with a robust anti-virus software based on an embedded Bitdefender scan engine to ensure safe connection to the MFP via cloud, and across devices including PCs, tablets, and USB flash drives.


Scanning individual files means a more in-depth virus detection as compared to using the whitelist method alone. Latent viruses are discovered through checking and notification when files are received. Checks are also conducted when files are output from the MFP which prevents dissemination of infected files in the network. Further periodic checking of files within the MFP helps to uncover malicious files and detects latent risks in the MFP. Real time virus scan jobs are available for print, scan and fax functions, while manual or scheduled virus scans are possible for Box and SSD such as SMB folders.



Serverless printing in a ubiquitous network

bizhub C360i series achieves serverless printing in a ubiquitous network that outputs previously sent print jobs from any desired MFP in the office network, after authentication. As a base unit for printing, it works as a print server, which enables the easy, low-cost creation of a serverless printing system for ubiquitous computing.

*A print system in a ubiquitous network can be created for up to 100 units. *Each MFP requires the i-Option LK-114 option.



Security watermark function

In addition to the Copy Protect Function, Copy Guard and Password Copy functions for high-level security are also available with the bizhub C360i series. Printing with a special security watermark embedded into the original prevents unauthorised secondary copying or leakage of confidential documents to third parties.

*Requires Security Kit SC-509 option. This is only effective in models equipped with Konica Minolta's security watermark function.

Encrypted PDFs

Password encryption

Documents distributed in PDF form can be password encrypted.

• Digital ID encryption

Only authorised recipients with a private key can decrypt. This ensures a far more robust level of security than the previous public key system.

- *If encrypting with Digital ID, the email address (S/MIME send) to which the Digital ID has already been registered must be registered to the MFP's abbreviated address.
- *Requires the i-Option LK-102 v3.

· Electronic signatures

Electronic signatures certify (MFP) document authors, and also guarantee that the document has not been changed and is valid. Certifications by third party organisations can also be used.

- *When using electronic signatures, files should be encrypted using either a password or Digital ID.
- *Requires i-Option LK-102 v3.

Recognised high-level security ISO/IEC 15408 certification

To objectively prove the reliability of Konica Minolta MFP security functions, bizhub C360i series has obtained the Common Criteria (CC) for Information Technology Security Evaluation (ISO/IEC 15408) and CC certification for compliance with HCD-PP v1.0 (Protection Profile for Hardcopy Devices).



*Information security-related certification obtained for this product (and this system) demonstrates compliance with certification requirements as a result of evaluations based on specified evaluation standards and methods, but does not assure that the product (or the system) is completely without weaknesses.

Other major security features

- SMTP authentication/POP before SMTP authentication enable security to be set when sending emails.
- •SSL/TLS protocol enables encryption of data transmission between networks
- Storage Lock Password prevents unauthorised access to the SSD
- TPM (Trusted Platform Module) safely manages confidential information

 *Requires i-option LK-115 v2

FASEC 1- compliant fax security

- Double Address Input prevents erroneous transmission through input error
- Destination Number Confirmation Display prevents erroneous transmission due to incorrect dialing
- \bullet Dial Tone Detection function prevents erroneous transmission due to call collision
- $\bullet \ \mathsf{Memory} \ \mathsf{Receive} \ \& \ \mathsf{PC} \ \mathsf{Forward} \ \mathsf{prevents} \ \mathsf{paper} \ \mathsf{faxes} \ \mathsf{from} \ \mathsf{being} \ \mathsf{left} \ \mathsf{behind}$
- Transmission Result Report and Operation Panel Result Check enables verification of fax transmission

Konica Minolta's original fax security

- Send Approval Password function prevents erroneous transmission through thorough checking
- Recipient Confirmation (CSI matching) Send prevents erroneous transmission through wrong connection
- Voice Guidance when sending reads out fax number before sending fax to prevent erroneous transmission
- *Requires i-option LK-104 v3, keypad KP-102 and device connection I/F kit EK-608 or EK-609.
- Designated Tray Paper for Feed assists security management




ALWAYS AT THE FOREFRONT

Konica Minolta remotely manages bizhub operating conditions and toner levels, and delivers a variety of support and cloud services including automatic firmware updates and remote monitoring.



Worldwide Remote Service Platform

We developed new services leveraging on IoT, so focus on their core business. i-Series intelligently collects data for self-diagnostic and remote maintenance, as well as predicts the optimum replacement time for parts and consumable to minimise downtime.




Data collected for part/consumable replacement predictions

Animated guide

The animated guide demonstrates procedures such as handling paper jams and replenishing consumables. Following the instructions displayed on the operation panel ensures smooth operation.

Web browser function

bizhub C360i series supports web browser function. Websites can be displayed on the operation panel and printed out. Pages in PDF files on the website can be specified, with only the required sections printed. This is very convenient, allowing easy printing of items such as destination maps from the site.



^{*} For more information, please contact your authorised Konica Minolta retailer.



bizhub Connectors

The operation panel connects to various cloud services^{*1} and corporate internal server SharePoint 2007/2010/2013/2016, enabling connectivity for scan data uploads or direct printing. With single sign-on user logged in to the bizhub, users can access registered cloud application without re-entering authentication information.

bizhub Connector*2 offers 2 applications

bizhub Connector S-1 for Microsoft SharePoint

bizhub Connector E-1 Works with Evernote

High-performance quad-core CPU

A high performance Cortex A72 CPU Quad Core 1.6 GHz CPU improves overall system performance over the previous model's dual core, 1.2 GHz CPU. The extra CPU cores means efficient parallel processing of applications and seamless operation of cloud applications, even during basic MFP's processing functions such as copying and printing.

Shorter warm-up time

The warm-up time, from powering up to printing is kept within 13 seconds. First Copy Out Time, from when the copy button is pressed until the first copy prints, is 6.1 seconds or less. Panel reset time has also shortened greatly to about 1.2 seconds.

Warm-up time* comparison between previous model and bizhub C360i




^{* 23°}C, at rated voltage

First Copy Out Time* comparison between previous model and bizhub C360i series



^{*}A4 horizontal, same scale, No 1 paper feed tray, importing from platen glass

Panel reset time comparison between previous model and bizhub C360i series



^{*1} Evernote.

^{*2} Requires a separate set-up fee.


COPY / PRINT

Equipped with advanced functions for colour MFPs. Both Copy and Print functions exhibit outstanding performance.

A wide range of paper feed options

Paper stack capacity for the standard main unit tray and multi manual feed is 1,150 sheets. Installing optional paper feed cabinets enables paper capacity up to 3,650 sheets. Further installing a large capacity unit achieves a maximum volume of 6,650 sheets*. Reducing paper tray refill frequency cuts downtime.

*When the paper feed cabinet PC-416 or PC-417 option and the large capacity unit LU-302 option are installed.



Banner print function

Using the optional Banner Paper Guide ease the feeding of banner paper up to 1,200 mm. This is ideal for creating POP or banners.

*Required MK-730 Banner Paper Guide option is recommended.

Lightweight paper trays

Paper trays handle easily and open / close smoothly with a light press and pull motion. Travs can be easily removed for retrieval of jammed paper, which equates to less downtime.



Paper feed and manual feed trays


bizhub C360i series' first and second paper trays can both handle custom sized paper, enabling the use of a wider range of paper size.

Enhanced 1,200 dpi resolution

bizhub C360i series achieves a 1,200-dpi print resolution with superb ability to reproduce small font sizes and fine lines. Such faithful reproduction capability improves document legibility and produces beautiful, high-quality printouts. *Slows down printing speed.

Multifunctional finisher

Depending on the objective, users can select four types of finishing that are automatically processed by the multifunctional finisher, which includes saddle stitching, tri-folding, stapling and hole-punching. In addition to high-speed output, this function allows in-house production of corporate profile, flyers, pamphlets and many other more.



^{*}¹ Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. *² Requires Relay Unit RU-513.
*³ FS-539/FS-539SD parallel stapling is only supported for A4 portrait, B5 portrait and A5 landscape orientations. *⁴ FS-533 corner stapling is only parallel.


Card Shot function

When copying both sides of an irregular-sized original such as a license or business card, the front and back sides of the card can be automatically arranged to be printed on the same side of one sheet.



Non-Image Area Erase function

When copying with the cover open, such as for thick books, the original is automatically detected and the shadowy area around the original is omitted. This saves excess toner consumption.



Standard USB port

A USB port located on the side of the main unit's operation panel is standard with the i-Series. After inserting a USB flash drive, printing procedures will pop up in the touch screen, and the flash drive data can be directly printed or saved to a box in the MFP with a few easy steps.

- *May not operate correctly depending on the type of USB flash drive.
- *Supported file formats: PDF, compact PDF, JPEG, TIFF, XPS, compact XPS, and OOXML (.docx/.xlsx/.pptx).
- *Printing results may differ from the image on the PC screen.



Email RX Print

Files can be easily printed out by attaching them to an email and sending it to the machine's email address.

- *Supported file formats: PDF, Compact PDF, JPEG, TIFF, XPS, Compact XPS, and OOXML (.docx/.xlsx/.pptx).
- *Requires i-Option LK-110 v2.

Supports VLAN (Virtual LAN)

bizhub C360i series supports a VLAN function that splits multiple networks logically. Data can be isolated for each network, such as externally vs. internally connected networks, company dedicated vs. guest-only networks, or shared workspace occupied by multiple companies so the bizhub can be used securely.

*For further details please contact your authorised Konica Minolta retailer.



Other copy functions

- Image Quality Mode to match the original (text, text/photo, photo, faint original, map, copied original)
- Output Mode that matches application (double-sided printing, page aggregation, repeating, grouping, sorting, shifting, booklets, binding margin)
- Diverse Original Document Scan Modes (continuous scan, mixed originals, binding margin, original loading direction, thin paper, Z folded original, dust reduction mode, programmed jobs, blank original removal).
- Copy Mode can be set according to objective (book original, consecutive page copying, index originals, catalogue originals)
- Selectable Layout Adjustment (enlarge/reduce, consecutive enlargement copying, image storage method, mirror imaging, image shift, auto image rotation)
- Handy "Page Insertion" (coversheet, OHP film, insert sheet, chapter separator, insertion page)
- Expanding usage with Image Additions (date/time, page number, stamp, watermark, head/footer, overlay, registered overlay)
- Able to copy required sections only (Frame Erase, Erase Outside)
- Numerous "Copy Security" functions (Copy Protect, Repeat Stamp, Copy Guard*, Password copy*)
- *Requires Security Kit SC-509 option.

Other print functions

- Supports BMLinkS which connects seamlessly with office equipment
- •My Tab Function can customise your tab with frequently use setting
- Printing to Tab Paper (index paper)
- Carbon Copy Mode prints the original docket and copy at the same time. Different coloured sheets can be loaded to various paper trays if necessary.
- Capable of printing on SRA3 size which is slightly larger than A3.
- Auto Trapping Function prints such that there is no white gap around images
- Fiery image controller is supported for professional graphics use *Optional.

*Some functions are only compatible in Classic Mode.

SCAN / FAX

The Scan/Fax functions deliver high performance and high functionality from speed, quality and distribution to storage.

Outstanding scan performance

Efficient high speed one-pass duplex scanning of 200 ppm is achieved with an Dual Scan Document Feeder (DSDF). Up to 100 sheets* can be loaded at any one time, significantly reducing scanning time and effort. The precision of automatic skew correction, which adjusts the angle of the scanned original, has been greatly improved to deliver highly accurate scanning with less skew.

*When equipped with the Dual Scan Document Feeder DF-714 option. *80gsm paper.

Double feed detection sensor

Applying ultrasonic waves to the original distinguishes air between each page and detects double feeds. When a double feed is detected, a preview of the original that has already been scanned will be displayed so that the job can be restarted without repeating the whole scanning operation from the beginning.

*When equipped with the optional Dual Scan Document Feeder DF-714.



Paper Size Measurement function

This function automatically measures custom sized paper placed on the platen glass. The size of the measured paper can also be registered in the bizhub's memory. This feature value adds to offices that handle alot of irregular sized documents like slips and vouchers.

Scan to URL function


Easy transmission of large volume data that cannot be attached to emails can be easily achieved with Scan to URL function, which stores Scan data within the bizhub and then emails the storage destination URL to the user.

*Replace with optional SSD EM-908 to handle large volume data.

Box storage of received data promotes a paperless environment

Received fax data is automatically sorted according to TSI (Transmitting Subscriber Identification) and automatically stored in the bizhub's box. Setting automatic transfer to client PC or email addresses saves both effort and cost in sorting and distributing received documents.

Forwarding to the bizhub's SMB shared folder is also possible. bizhub C360i series can also handle functions such as forwarding faxes and TSI-sorted received faxes. The increase in storage destinations for received faxes will further promote a paperless environment.



Digitisation of paper documents

Documents can be scanned and converted to PDF or OOXML format files. File format can be selected according to the business and its intended use, which broadens the scope of secondary use.

Scan to PDF / Scan to OOXML image (with LK-110 v2 installed)



- Applying OCR to a document produces searchable text
- Microsoft Office etc. enables reuse of images and text.


File conversion formats and required options (i-Option)

	LK-102 v3	LK-105 v4	LK-110 v2
PDF/A (long-term archiving)	✓		✓
Web-optimised PDF (linearised PDF)	✓		✓
Encrypted PDF (digital ID)	✓		✓
Searchable PDF (OCR)		✓	✓
OOXML file			/vi
(extension: docx/.xlsx/.pptx) conversion			√ *1
OOXML file		(12)	✓
(extension: docx/.xlsx/.pptx) conversion +OCR		√*2	

 $^{^{*1}}$ pptx conversion is a standard function, but the OCR function requires either LK-105 v4 or LK-110 v2.

Improve scan job efficiency

Scanned originals can be converted to a variety of document formats according to the application, and stored in the bizhub's box or a USB flash drive. They can also be sent and stored to a PC or server via email, SMB, FTP, or Web DAV.



^{*} Requires i-Option LK-110 v2

Other main scan and fax functions


- •Super G3 Standard achieves high speed sending of approx. 2 seconds
- •Direct Fax, paperless sending from a PC
- Convert received data into a Searchable PDF format *Requires i-Option LK-110 v2.
- Maximum 2-phone line FAX Function can aggregate multiple faxes
- •W-NET FAX compatibility for broad Internet fax interchangeability
- IP Adress Fax (T.38 FAX) reduces transmission costs*

 *Requires i-Option LK-117 and Fax kit FK-514.
- •Address Storage for a maximum of 2,000 addresses + 100 groups
- •Skip Blank Pages function skips blank originals during scanning
- •Banner Scan scans long originals from the ADF

Workflow Automation Tools *Sold separately

Dispatcher Phoenix

Dispatcher Phoenix automates digitised document processes from file aggregation to processing and distribution. By dividing processes via pre-set conditions, such as OCR processing, file renaming and barcode scanning, each document is automatically stored at a destination. This delivers one-touch execution of cumbersome tasks. Start times can be scheduled so that digitised tasks can be executed quickly and efficiently. Broad scalability and versatility, including connectivity with cloud services, enable creation of flexible workflows tailored to the customer's business and office environment.



^{*} Some functions are only compatible in Classic Mode.

^{*2} Only compatible with pptx.

Offers a new workstyle through advanced connectivity with mobile devices.

Mobile communications function

Connectivity with NFC-equipped Android devices

The operation panel has a mobile touch area compatible with NFC-equipped devices. Installing Konica Minolta Mobile Print on Android devices allows that device to be registered to bizhub. Just holding the Android device over the mobile touch area enables the selected file to be printed. Originals set in bizhub can also be scanned and saved to Android devices or cloud storage. Where user authentication is enabled, just holding the Android device nearby allows log in.

- *Requires the Android device to be equipped with OS4.4 or later.
- *Requires a wireless LAN environment.

Bluetooth LE connectivity with iOS devices

Using Bluetooth LE (low energy), a bizhub nearest to the user can be detected and registered with Konica Minolta Mobile Print. As it is also supported by the iOS action button, printing and scan data sharing from various applications can be smoothly executed. Furthermore, when user authentication is enabled, Bluetooth LE can be used to log in.

- *Requires the device connection I/F kit EK-609 option.
- *Requires wireless LAN environment.



Wireless LAN (AP Mode)

bizhub C360i series supports Simple Access Point (AP) Mode*, which easily creates a local wireless LAN environment with only the bizhub, allowing a wireless LAN to be built separately from the company LAN. Because it bypasses the company LAN, even mobile devices brought in from outside can be securely connected.

*Requires Upgrade Kit UK-221 option.



Supporting a range of print services



Konica Minolta Mobile Print

This is a mobile application offered by Konica Minolta. With a simple and intuitive user interface, connecting a mobile device with bizhub allows fast, secure scan data acquisition, saving to and sharing cloud storage, as well as document and image printing. Authentication Print and Secure Print are also supported enabling worry-free printing of confidential documents.



AirPrint

Apple's standard printing system which is supported from IOS4.2 and Mac OS X 10.7. Supported printers can be used via wireless LAN without installing applications on devices.



Mopria Print Service

Wireless technology offered by Mopria Alliance allows printing from devices equipped with Android 4.4 or later version.

ECO FRIENDLY

A range of environmental considerations made, from outer case materials to power consumption.

Adoption of recycled materials

Konica Minolta has further refined our original chemical processing technology now using recycled PC/PET with PCR* ratio increased to about 70% for MFP exterior materials, and recycled ABS resin with a ratio increased to about 95% for interior materials. This recycled material accounts for about 35% of the total weight of resin in the main unit and covers approximately 88% of the outer surface area of the machine.

 * PCR (post-consumer recycling) ratio: is the proportion of materials collected in the municipality used in recycled materials.

0.5W sleep mode power consumption

Power saving logic has been improved, including turning off the CPU during sleep mode to reduce sleep mode power consumption to 0.5W. In addition to helping reduce environmental impact, this is also effective in reducing TCO (Total Cost of Ownership).

Green products

One of Konica Minolta's initiatives to reduce environmental impact is the establishment of our original Green Products Certification System that evaluates product environmental performance. bizhub C360i series has been certified as Green Products. In working towards a sustainable society, by setting such rigourous standards on our own products, Konica Minolta is striving for environmentally friendly technological innovation.






Environmentally friendly air cushion

Use of styrofoam as a packaging material for shipping has been greatly reduced. Waste volume has been halved by changing to a new method where air cushion packaging replaces a portion of the shock absorbing styrofoam that protects the product.

CO₂ emissions reduction

bizhub C360i features a power saving design that easily clears TEC values stipulated in the International Energy Star Program Version 2.0. Compared with the previous model, TEC values have been broadly reduced by 20%. This reduction in TEC values has also significantly reduced CO₂ emissions.

TEC value comparison between previous model and bizhub C360i series



*TEC value from International Energy Star Program Ver. 2 application

Social responsible efforts

To address environmental issues such as global warming, our products are designed and manufactured, complying with global environmental standards, including the International Energy Star Program which aims to develop and introduce highly energy-efficient office equipment.











Green Purchase Eco Mark (Japan) Restriction of H (Japan) Substant (EU)




^{*}Annual CO_2 emissions (TEC value x 1 year (52 weeks) x emission factor. From November 2012 Press release by the Ministry of the Environment)

PRODUCT SPACE REQUIREMENTS


bizhub C360i/C300i/C250i

PC-216(PC-116/PC-416/PC-417/DK-516)+DF-714




bizhub C360i/C300i/C250i

PC-216(PC-116/PC-416/PC-417/DK-516)+DF-632+FS-533+CU-102



bizhub C360i/C300i/C250i

PC-216 (PC-116/PC-416/PC-417/DK-516)+DF-714+FS-536+MK-730+LU-302



CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Secure network integration, data encryption, HDD overwrite, and advanced user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio




Productivity Reliability, high-speed scanning and printing, combined with powerful finishing functions



Sustainability Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

OPTIONS



OCR A and B fonts

Document converter pack ThinPrint® client LK-111

Serverless pull printing

Trusted Platform

LK-115v2 Antivirus

Dual scan document feeder DF-714

Original cover OC-511

Working table WT-506

10-Key pad


Security kit

Media sensor









MEDIA OUTPUT Inner finisher Job separator

Staple finisher FS-536 **Relay unit** Staple/booklet finisher Relay unit RU-513 Punch kit PK-520

OR Staple finisher FS-539 **Relay unit** Staple/booklet finisher Relay unit RU-513 Punch kit PK-524





FINISHING FUNCTIONALITIES





















Tri-fold









stapling

Two-point stapling

punching

punching

Duplex

mixplex/ mixmedia

Half-fold

insertion report

Booklet

sorting

Banner Printing

Stapling (offline)

DESCRIPTIONS

ENHANCED FEATURES	
LK-102v3 PDF enhancements	PDF/A(1b); PDF encryption; digital signature
LK-104v3 Voice guidance	Supports voice guidance
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX; XLSX and PDF/A
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-114 Serverless pull printing	Secure and Follow Me printing solution requiring no server application
LK-115v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® Antivirus provides real time scanning of all incoming/outcoming data
LK-117 T.38 IP fax	Fax over IP networks (T.38), requires fax kit
CONNECTIVITY	
FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board
AU-102 Biometric authentication	Finger vein scanner
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader
OTHERS	
DF-632 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-714 Document feeder	Dual scan document feeder, capacity 100 originals
OC-511 Original cover	Cover instead of ADF
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
IM-102 Image sensor	For detecting types of media
SC-509 Security kit	Copy guard function / password copy
-	<u> </u>

EM-908 Replacement SSD	1TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emissions
MEDIA INPUT	
PC-116 Paper feed cabinet	500 sheets, A5-A3, 52-256 g/m ²
PC-216 Paper feed cabinet	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Paper feed cabinet	2,500 sheets, A4, 52-256 g/m ²
PC-417 Paper feed cabinet	1,500 + 1,000 sheets, A5-A4, 52-256 g/m ²
LU-302 Large capacity unit	3,000 sheets, A4, 52-256 g/m ²
MK-730 Banner paper guide	Banner paper feeding
DK-516 Desk	Provides storage space for print media and other materials
DK-705 Desk	Caster table
MEDIA OUTPUT	
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit for FS-533	2/4 hole punching, autoswitching
FS-536(SD) Staple finisher	50-sheets stapling or 48 sheets +2 coversheets (up to $209g/m^2$); 3,300 sheets max output
FS-536SD Booklet finisher	50-sheets stapling; 20 sheets booklet finisher or 19 sheets + 1 cover sheet (up to 209g/m²) Output capacity,max 100 booklet; unlimited (without tray)
FS-536SD Tri-fold	Maximum 3 sheet Output capacity, maximum 30sheets; unlimited (without tray)
PK-520 Punch kit for FS-536(SD)	2/4 hole punching; autoswitching
FS-539(SD) Stapler finisher	50-sheets stapling or 48 sheets + 2 coversheets (up to $209g/m^2$); 3,200 sheets max output
FS-539SD Booklet finisher	50-sheets stapling; 20 sheets booklet finisher or 19 sheets + 1 coversheet (up to 209 g/m^2); 2,200 sheets max output
FS-539SD Tri-fold	Maximum 3 sheets Output capacity, maximum 30 sheets; unlimited (without tray)
PK-524 Punch kit for FS-539(SD)	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-536(SD), FS-539(SD) installation, (Max. 100 sheets output capacity)
JS-506 Job separator	Separation of fax output; etc.

TECHNICAL SPECIFICATIONS

Print resolution

SYSTEM SPECIFICATIONS Panel size/resolution 10.1" / 1024 x 600 System memory System storage (standard/optional) $256\,GB\,SSD\,/\,1TB\,SSD$ 10/100/1,000-Base-T Ethernet; USB 2.0; Interface Wi-Fi 802.11 b/g/n (optional) TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP(S); AppleTalk; Bonjour Network protocols Automatic document feeder (optional) Up to 100 originals; A6-A3; 35-163 g/m²; DF-632 RADE DF-714 DSDF Paper input capacity (standard/max) 1,150 sheets / 6,650 sheets 1x 500 sheets; A6–A3; custom sizes; 52-256 g/m² 1x 500 sheets; A5–SRA3; custom sizes; 52-256 g/m² Paper tray input Paper tray input (optional) PC-116 1x 500 sheets; A5-A3; 52-256 g/m² PC-216 2x 500 sheets; A5-A3; 52-256 g/m^2 PC-416 1x 2,500 sheets; A4; 52-256 g/m^2 PC-417 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m² Large capacity unit (optional) LU-302 1x 3,000 sheets; A4; $52-256 \text{ g/m}^2$ Manual bypass 150 sheets; A6–SRA3; Custom sizes; Banner; 60–300 g/m² Automatic duplexing A5-SRA3; 52-256 g/m² **Output capacity** Max. 250 sheets Offset; Group; Sort; Staple; Punch; Half-fold; Tri-fold; Booklet Finishing modes 220-240 V / 50/60 Hz: Less than 1.58 kW Power consumption System dimension (W x D x H) 615 x 688 x 779 mm (without options) Approx. 84.0 kg (without options) System weight PRINTER SPECIFICATIONS

1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi

Up to 36/36ppm , up to 30/30ppm , up to 25/25ppm
PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix
80 PCL Latin; 137 PostScript 3 Emulation Latin
AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) WiFi Direct

FIERY IMAGE CONTROLLER (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	Intel Celeron G4900T @ 2.9GHz
Memory/HDD	2,048 MB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c

TECHNICAL SPECIFICATIONS

SCANNER SPECIFICATIONS	
Scan speed (mono/colour)	DF-714 300dpi simplex 80/80 ipm, 300dpi duplex 160/160 ipm 200dpi simplex 100/100 ipm, 200dpi duplex 200/200 ipm
	DF-632 300dpi simplex 80/80 ipm , 300dpi duplex 37/37 ipm
Scan modes	Scan-to-email (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Scan destinations	2,100 (single + group); LDAP support
COPIER SPECIFICATIONS	
Imaging technology	Laser
Toner technology	Simitri® HD polymerised toner
Copy/print speed A4 (mono/colour) C360i , C300i , C250i	up to 36/36ppm , up to 30/30ppm , up to 25/25ppm
Copy/print speed A3 (mono/colour) C360i , C300i , C250i	Up to 18/18 ppm , up to 15/15ppm , up to 15/15 ppm
Auto duplex Speed A4 (mono/colour) C360i , C300i , C250i	Up to 36/36ppm , up to 30/30ppm , up to 25/25ppm
1st copy out time A4 (mono/colour) C360i , C300i , C250i	4.6/6.1 sec , 5.0/6.7 sec , 5.2/6.9 sec
Warm-up time ¹	Approx. 12 sec. in mono; 13 sec. in color
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1–9,999
Original format	A6–A3; Custom sizes
Magnification	25–400% in 0.1% steps; Auto-zooming
EAV CDECIEICATIONS (ODTIONAL	
FAX SPECIFICATIONS (OPTIONAL Fax standard	
FAX SPECIFICATIONS (OPTIONAL Fax standard Fax transmission	Super G3
Fax standard Fax transmission	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax standard Fax transmission Fax resolution	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi
Fax standard Fax transmission Fax resolution Fax compression	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG
Fax standard Fax transmission Fax resolution Fax compression Fax modem	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps
Fax standard Fax transmission Fax resolution Fax compression	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group)
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication);
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents Type of user boxes	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication); Group (with authentication)
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents Type of user boxes Type of system boxes	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication); Group (with authentication)
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents Type of user boxes Type of system boxes SYSTEM FEATURES	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication); Group (with authentication) Secure print; Encrypted PDF print; Fax receipt; Fax polling ISO 15408 HCD-PP Common Criteria (certified); IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard disk overwrite (8 standard types); Hard disk data encryption (AES 256); Memory data auto deletion; Confidential fax receipt;
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents Type of user boxes Type of system boxes SYSTEM FEATURES Security Functions	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication); Group (with authentication) Secure print; Encrypted PDF print; Fax receipt; Fax polling ISO 15408 HCD-PP Common Criteria (certified); IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard disk overwrite (8 standard types); Hard disk data encryption Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy)
Fax standard Fax transmission Fax resolution Fax compression Fax modem Fax destinations USER BOX SPECIFICATIONS Storable documents Type of user boxes Type of system boxes SYSTEM FEATURES Security Functions Security Functions (optional)	Super G3 Analogue; i-Fax; Colour i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps 2,100 (single + group) Up to 3,000 documents or 10,000 pages Public; Personal (with password or authentication); Group (with authentication) Secure print; Encrypted PDF print; Fax receipt; Fax polling ISO 15408 HCD-PP Common Criteria (certified); IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1 ssupport; User authentication; Authentication log; Secure print; Kerberos; Hard disk overwrite (8 standard types); Hard disk data encryption (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy) Up to 1,000 user accounts; Active Directory support (user name +

 $^{^{\}rm 1}$ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems,
- applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and
- humidity.

 Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

All information stated in the brochure is correct at time of printing and subject to change without notice.
 All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby



Konica Minolta Business Solutions (M) Sdn Bhd (72640-P)

Infinite Centre, Lot 1, Jalan 13/6, 46200 Petaling Jaya, Selangor, Malaysia.

National Call Service Centre: 1300 22 5556

General Line: +603 7891 0300 **Fax Line:** +603 7954 8316

Email: marketing.1@konicaminolta.com



www.konicaminolta.com.my/home